

What is claimed is:

1. A portable radio device comprising:
a flat lid having on a surface thereof a
concave reflecting member having a predetermined
curvature; and
5 a small-size display device having an
information display function for projecting light rays of
a displayed image;
said lid and said display device being
adjustable in their positional relationship for applying
10 light rays of a displayed image projected from said
display device to said concave reflecting member and
reflecting the light rays at an enlarged scale from said
concave reflecting member.
2. A portable radio device according to claim 1,
for use as a portable telephone set.
3. A portable radio device according to claim 1,
further comprising:
a casing;
said flat lid being angularly movably coupled
5 to an end of said casing by a hinge mechanism;
said small-size display device being
positioned with respect to said lid such that when said
lid is angularly moved and held at a given angle, light

rays of a displayed image projected from said display
10 device is applied to said concave reflecting member and
reflected at an enlarged scale from said concave
reflecting member.

4. A portable radio device according to claim 3,
wherein said small-size display device is angularly
movable for positional adjustment.

5. A portable radio device according to claim 3,
for use as a portable telephone set.

6. A portable radio device according to claim 3,
wherein said small-size display device is mounted on said
casing.

7. A portable radio device according to claim 6,
wherein said small-size display device is angularly
movable for positional adjustment.

8. A portable radio device according to claim 3,
wherein said small-size display device is mounted on said
flat lid.

9. A portable radio device according to claim 1,
further comprising:

a casing; and
a module casing detachably connected to said
5 casing;

said small-size display device being mounted
in said module casing, said flat lid being angularly
movably coupled to an end of said module casing by a
hinge mechanism.

10. A portable radio device according to claim 9,
wherein said module casing has an external interface
connector, and said casing has a connector which
electrically connects said casing to said external
5 interface connector, said module casing being
structurally connected to said casing by said connector.

11. A portable radio device according to claim 9,
wherein said small-size display device is angularly
movable for positional adjustment.

12. A portable radio device according to claim 9,
for use as a portable telephone set.